

## Inox pregibna gola cev - art. RAPID - 2420



**Nerjavna pregibna nagubana cev – art. RAPID – 2420** je izdelana za pretok kompresijskega zraka, izpuhov na motorjih, čolnih, ladjah, sanitarno vodo, vročo vodo, paro, hladilne tekočine in vse ostale pretočne medije, primerne za nerjavni material W.Nr. 1.4404. Zato jo priporočamo za ogrevanje, sanitarno vodo, pitno vodo, tehnološke vode, prezračevalne sisteme, cirkularne pretočne črpalke z vročo vodo, vse vrste hrane, kozmetiko, vroče olje, bencin, določene kemikalije, ipd... Cev nima zunanjšega opleta, zaščite ali izolacije!

**Stainless steel corrugated hose – art. RAPID – 2420** is hose made for compressed air, potable water, hot water, steam, cooling liquids, liquid food, and all other media, where stainless steel W.Nr. 1.4404 can be recommended. It is suitable for heating, sanitary system, potable water, air condition, heat pumps, some chemicals...

Hose is without external de braiding, protection material or insulation!

- delovna temperatura/**working temperature**: - 270° c do + 600° C,
- delovni tlak/**working pressure by/pri** + 20° C: DN 16/18 bar, DN 20/18 bar, DN 25/16 bar
- delovni tlak/**working pressure by/pri** + 200° C: DN 16/11 bar, DN 20/11 bar, DN 25/10 bar
- končni tlak/**end pressure**: DN 16/20/25 ne večji kot 33 bar
- certifikat/**certificate**: DIN 4102, Din 1988-7, DIN 52275-2.



DN	DN	Cev	Dolžina	Delovni tlak	Radius	Cena	Šifra
mm	Inch	Pipe	Length	Pressure	mm	Price	Code
		mm	m	bar		€/m	
8	3/8"	8mm	10/15/20/25/50	10	20	*	2420.01008.xx
12	1/2"	12mm	10/15/20/25/50	10	30	<b>3,98</b>	2420.01012.xx
16	5/8"	16mm	10/15/20/25/50	10	40	*	2420.01016.xx
19	3/4"	20mm	10/15/20/25/50	10	50	<b>5,93</b>	2420.01020.xx
25	1"	25mm	10/15/20/25/50	10	65	<b>11,79</b>	2420.01025.xx
32	5/4"	32mm	10/15/20/25/50	10	80	<b>12,86</b>	2420.01032.xx
40	6/4"	40mm	10/15/20/25/50	10	120	*	2420.01040.xx
50	2"	50mm	10/15/20/25/50	10	170	*	2420.01050.xx

- **dimenzije s cenami so na zalogi**



**Matica**  
**Femmina**  
**Female**



**Ring**  
**Anello**  
**Ring**

**Matica in O – ringi so izdelani iz medenine MS 58**

DN mm	DN Hose/cev Inch	Spojni komplet Pipe set	Cena Price €/set	Šifra Code
8	3/8"	2 matici 3/8", 2 tesnila, 2 O-ringa	*	2420.02008.xx
12	1/2"	2 matici 1/2" , 2 tesnila, 2 O-ringa	<b>1,99</b>	2420.02012.xx
19	3/4"	2 matici 3/4" , 2 tesnila, 2 O-ringa	<b>2,13</b>	2420.02019.xx
25	1"	2 matici 1" , 2 tesnila, 2 O-ringa	<b>2,85</b>	2420.02025.xx
32	5/4"	2 matici 5/4" , 2 tesnila, 2 O-ringa	<b>10,86</b>	2420.02032.xx
40	6/4"	2 matici 6/4" , 2 tesnila, 2 O-ringa	*	2420.02040.xx
50	2"	2 matici 1" , 2 tesnila, 2 O-ringa	*	2420.02050.xx


- cene so brez davka!

**Postopek natikanja matice in O ringov**



**Rapid –Santerm kovček z orodjem**

- bat za oblikovanje tesnjenja
  - glava za 3/4 colsko cev
  - glava za 1 colsko cev
  - rezalo za cev
- set 3/4« colskih matic in O-ringov
- set 1 colskih matic in O-ringov



- kovček z orodjem za 3/4" in 1cola

- **kovček z orodjem za 5/4" in 2 coli**

Tel. 00386-3-426-34-00, Fax. 00386-3-426-34-25, mail box [Ceflex.santerm@siol.net](mailto:Ceflex.santerm@siol.net), brochure: [www.santerm.si](http://www.santerm.si)



Tel. 00386-3-426-34-00, Fax. 00386-3-426-34-25, mail box [Ceflex.santerm@siol.net](mailto:Ceflex.santerm@siol.net), brochure: [www.santerm.si](http://www.santerm.si)