



SANTERM d.o.o.

T - kos 45° KMR (stranski, etažiran odcep) predizoliran ŠIFRA ART.2500.03 KMR



KMR – ETAŽIRAN ODCEP KMR

T - kos paralelni predizoliran ŠIFRA ART.2500.04



Odcep	Odcep	Odcep	Odcep	Odcep	Odcep	Odcep	Odcep
25	32	40	50	65	80	100	125

PARALELNI ODCEP

* v vse cene vključujejo alarmne žice tipa NORDIC


* vse cene so brez davka

SANTERM d.o.o.

Tip Bonded Standardna izolacija - ali serija 1

T - kos 45° KMR (stranski, etažiran odcep) predizoliran ŠIFRA ART.2500.03


T - kos 45° paralelni predizoliran ŠIFRA ART.2500.04



DN	Notranja	Debelina	Zunanji	Odcep	Odcep	Odcep	Odcep	Odcep	Odcep	Odcep	Odcep
	cev	stene	premer	20	25	32	40	50	65	80	100
cev	mm	mm	mm	€/kos	€/kos	€/kos	€/kos	€/kos	€/kos	€/kos	€/kos
				90	90	110	110	125	140	160	200
20	26,9	2,6	90	149,88	*	*	*	*	*	*	*
25	33,7	3,2	90	153,93	154,86	*	*	*	*	*	*
32	42,4	3,2	110	117,77	165,00	167,67	*	*	*	*	*
40	48,3	3,2	110	119,82	127,50	170,37	172,47	*	*	*	*
50	60,3	3,2	125	131,16	130,14	134,70	188,61	189,41	*	*	*
65	76,1	3,2	140	139,08	142,83	147,00	149,52	240,30	237,03	*	*
80	88,9	3,2	160	148,65	160,74	166,98	166,98	173,01	249,90	249,96	*
100	114,3	3,6	200	193,86	198,03	203,88	203,88	210,18	221,67	309,06	330,45
125	139,7	3,6	225	201,90	206,07	212,16	212,16	224,94	224,94	247,50	414,12
150	168,3	4,0	250	229,35	232,96	239,41	239,41	167,69	267,69	283,11	320,49
200	219,1	4,5	315	289,53	293,70	285,27	285,27	329,33	329,33	347,25	384,40
250	273,0	5,0	400	410,65	411,56	435,83	435,83	493,48	493,48	644,75	682,55
300	323,9	5,6	450	461,20	462,21	480,20	517,27	549,59	549,59	703,87	740,51
350	355,6	5,6	500	516,25	517,26	542,24	570,59	601,68	601,68	761,56	797,56
400	406,4	6,3	560	591,11	592,13	617,64	645,99	845,05	677,08	884,73	884,73
450	457,2	6,3	630	647,32	648,33	673,84	702,15	904,16	904,18	940,51	940,51
500	508,0	6,3	670	679,25	680,30	705,83	734,21	939,45	939,45	975,67	975,67
600	610,0	7,1	800	918,84	919,86	971,60	971,60	1.189,81	1.189,81	1.225,63	1.225,63

T - kos 45° KMR (stranski, etažiran odcep) predizoliran ŠIFRA ART.2500.03

T - kos 45° paralelni predizoliran ŠIFRA ART.2500.04




Tip Bonded Standardna izolacija - ali serija 1

DN	Notranja cev	Debelina stene	Zunanji premer	Odcep 125	Odcep 150	Odcep 200	Odcep 250	Odcep 300	Odcep 350	Odcep 400	Odcep 450	Odcep 500	Odcep 600
cev	mm	mm	mm	€/kos	€/kos	€/kos	€/kos	€/kos	€/kos	€/kos	€/kos	€/kos	€/kos
				225	250	315	400	450	500	560	630	670	800
20	26,9	2,6	90	*	*	*	*	*	*	*	*	*	*
25	33,7	3,2	90	*	*	*	*	*	*	*	*	*	*
32	42,4	3,2	110	*	*	*	*	*	*	*	*	*	*
40	48,3	3,2	110	*	*	*	*	*	*	*	*	*	*
50	60,3	3,2	125	*	*	*	*	*	*	*	*	*	*
65	76,1	3,2	140	*	*	*	*	*	*	*	*	*	*
80	88,9	3,2	160	*	*	*	*	*	*	*	*	*	*
100	114,3	3,6	200	*	*	*	*	*	*	*	*	*	*
125	139,7	3,6	225	418,35	*	*	*	*	*	*	*	*	*
150	168,3	4,0	250	527,43	523,60	*	*	*	*	*	*	*	*
200	219,1	4,5	315	420,36	757,05	757,71	*	*	*	*	*	*	*
250	273,0	5,0	400	742,74	817,54	1.540,00	1.702,08	*	*	*	*	*	*
300	323,9	5,6	450	805,32	886,24	1.817,93	1.991,93	2.201,58	*	*	*	*	*
350	355,6	5,6	500	865,51	951,91	2.882,14	2.949,62	3.232,49	3.506,77	*	*	*	*
400	406,4	6,3	560	954,85	1.046,66	3.184,31	3.400,99	3.655,91	4.259,25	4.438,74	*	*	*
450	457,2	6,3	630	1.028,88	1.122,81	9.557,04	9.766,19	9.811,59	10.341,11	10.059,38	8.574,68	*	*
500	508,0	6,3	670	1.067,31	1.161,89	7.433,95	7.664,55	7.941,50	8.373,10	8.616,49	12.140,28	9.286,22	*
600	610,0	7,1	800	1.317,56	1.414,08	12.525,51	12.372,30	11.653,38	12.091,55	12.005,30	12.646,65	12.991,73	14.899,70

T - kos 45° KMR (stranski, etažiran odcep) predizoliran ŠIFRA ART.2501.03

T - kos 45° paralelni predizoliran ŠIFRA ART.2501.04




Tip Bonded Enkrat povečana izolacija - ali serija 2

DN	Notranja	Debelina	Zunanji	Odcep	Odcep	Odcep	Odcep	Odcep	Odcep	Odcep	Odcep
	cev	stene	premer	20	25	32	40	50	65	80	100
cev	mm	mm	mm	€/kos	€/kos	€/kos	€/kos	€/kos	€/kos	€/kos	€/kos
				110	110	125	125	140	160	180	225
20	26,9	2,6	110	156,83	*	*	*	*	*	*	*
25	33,7	3,2	110	159,17	160,25	*	*	*	*	*	*
32	42,4	3,2	125	122,89	166,77	171,90	*	*	*	*	*
40	48,3	3,2	125	124,81	132,31	173,16	176,58	*	*	*	*
50	60,3	3,2	140	132,04	136,11	140,01	193,77	204,53	*	*	*
65	76,1	3,2	160	145,59	150,95	153,26	156,94	253,78	238,95	*	*
80	88,9	3,2	180	170,17	179,14	176,96	179,19	191,36	264,35	248,41	*
100	114,3	3,6	225	201,38	202,77	209,10	218,22	226,50	219,05	334,18	319,17
125	139,7	3,6	250	214,25	218,28	221,99	223,56	226,87	253,69	293,70	432,75
150	168,3	4,0	280	244,14	248,16	252,02	263,95	273,09	296,05	322,16	350,44
200	219,1	4,5	355	303,38	307,33	312,86	320,00	328,16	342,06	359,86	394,62
250	273,0	5,0	450	433,30	434,21	452,56	461,63	490,14	519,35	682,57	711,05
300	323,9	5,6	500	489,87	491,01	506,80	522,48	550,49	582,53	748,94	777,22
350	355,6	5,6	560	554,32	555,18	572,25	581,38	609,96	641,22	804,26	844,09
400	406,4	6,3	630	828,47	630,42	546,92	659,34	689,01	719,17	900,99	932,65
450	457,2	6,3	670	875,49	676,34	693,38	704,17	733,84	766,15	950,56	979,69
500	508,0	6,3	710	718,47	720,41	737,45	749,33	779,00	810,34	996,96	1.025,02
600	610,0	7,1	900	1.050,12	1.050,97	1.067,62	1.075,70	1.104,77	1.138,38	1.338,48	1.380,55

T - kos 45° KMR (stranski, etažiran odcep) predizoliran ŠIFRA ART.2501.03

T - kos 45° paralelni predizoliran ŠIFRA ART.2501.04



Tip Bonded Enkrat povečana izolacija - ali serija 2


DN	Notranja	Debelina	Zunanji	Odcep	Odcep	Odcep	Odcep	Odcep	Odcep	Odcep	Odcep	Odcep	Odcep
	cev	stene	premer	125	150	200	250	300	350	400	450	500	600
cev	mm	mm	mm	€/kos	€/kos	€/kos	€/kos	€/kos	€/kos	€/kos	€/kos	€/kos	€/kos
				250	280	355	450	500	560	630	670	710	900
20	26,9	2,6	110	*	*	*	*	*	*	*	*	*	*
25	33,7	3,2	110	*	*	*	*	*	*	*	*	*	*
32	42,4	3,2	125	*	*	*	*	*	*	*	*	*	*
40	48,3	3,2	125	*	*	*	*	*	*	*	*	*	*
50	60,3	3,2	140	*	*	*	*	*	*	*	*	*	*
65	76,1	3,2	160	*	*	*	*	*	*	*	*	*	*
80	88,9	3,2	180	*	*	*	*	*	*	*	*	*	*
100	114,3	3,6	225	*	*	*	*	*	*	*	*	*	*
125	139,7	3,6	250	444,99	*	*	*	*	*	*	*	*	*
150	168,3	4,0	280	520,87	572,21	*	*	*	*	*	*	*	*
200	219,1	4,5	355	421,85	802,72	798,39	*	*	*	*	*	*	*
250	273,0	5,0	450	774,64	876,82	1.820,22	1.781,72	*	*	*	*	*	*
300	323,9	5,6	500	843,53	946,98	1.910,34	2.084,20	2.402,69	*	*	*	*	*
350	355,6	5,6	560	916,14	1.011,76	295,88	3.045,10	3.357,93	3.685,99	*	*	*	*
400	406,4	6,3	630	1.004,26	1.117,05	3.289,03	3.500,86	3.880,64	4.459,89	4.541,32	*	*	*
450	457,2	6,3	670	1.073,99	1.196,49	9.754,62	9.875,48	10.013,93	10.508,48	10.292,21	8.798,42	*	*
500	508,0	6,3	710	1.117,80	1.260,14	7.547,37	7.773,00	8.162,02	8.551,83	8.855,33	12.348,18	9.616,67	*
600	610,0	7,1	900	1.487,77	1.604,60	12.623,88	12.623,88	11.947,85	12.459,23	12.385,71	13.051,76	13.438,07	15.856,13

SANTERM d.o.o.

T - kos 45° KMR (stranski, etažiran odcep) predizoliran ŠIFRA ART.2502.03

T - kos 45° paralelni predizoliran ŠIFRA ART.2502.04

Tip Bonded Dvakrat povečana izolacija - ali serija 3



DN	Notranja cev	Debelina stene	Zunanji premer	Odcep 20	Odcep 25	Odcep 32	Odcep 40	Odcep 50	Odcep 65	Odcep 80	Odcep 100
cev	mm	mm	mm	€/kos	€/kos	€/kos	€/kos	€/kos	€/kos	€/kos	€/kos
				125	125	140	140	160	180	200	250
20	26,9	2,6	125	160,93	*	*	*	*	*	*	*
25	33,7	3,2	125	163,58	164,88	*	*	*	*	*	*
32	42,4	3,2	140	125,59	175,20	192,82	*	*	*	*	*
40	48,3	3,2	140	130,27	137,63	188,81	189,94	*	*	*	*
50	60,3	3,2	160	141,34	143,75	154,69	208,45	211,11	*	*	*
65	76,1	3,2	180	158,27	161,45	173,63	176,69	268,24	282,56	*	*
80	88,9	3,2	200	181,44	185,40	186,85	188,95	196,96	278,87	291,26	*
100	114,3	3,6	250	212,44	215,03	222,11	223,89	228,35	230,05	343,95	369,19
125	139,7	3,6	280	230,05	241,89	252,02	254,52	260,95	314,81	473,02	492,79
150	168,3	4,0	315	265,93	270,50	281,04	282,61	286,81	317,65	341,94	372,13
200	219,1	4,5	400	328,47	332,02	338,82	341,51	349,60	373,24	405,22	436,43
250	273,0	5,0	500	463,67	464,14	487,15	498,25	524,41	562,85	720,36	748,84
300	323,9	5,6	560	533,53	535,04	553,34	569,23	595,86	626,81	801,35	830,60
350	355,6	5,6	630	597,25	597,67	619,56	632,91	660,82	700,06	870,27	897,21
400	406,4	6,3	670	651,13	651,54	672,87	686,22	715,12	756,32	932,93	968,95
450	457,2	6,3	710	708,07	708,49	731,44	744,26	772,17	816,51	995,80	1.027,18
500	508,0	6,3	800	789,44	791,11	810,79	823,00	852,66	882,64	1.081,56	1.111,52


www.santerm.si

ceflex.santerm@siol.net

SANTERM d.o.o.

T - kos 45° KMR (stranski, etažiran odcep) predizoliran ŠIFRA ART.2502.03

T - kos 45° paralelni predizoliran ŠIFRA ART.2502.04



Tip Bonded Dvakrat povečana izolacija - ali serija 3

DN	Notranja cev	Debelina stene	Zunanji premer	Odcep 125	Odcep 150	Odcep 200	Odcep 250	Odcep 300	Odcep 350	Odcep 400	Odcep 450	Odcep 500
cev	mm	mm	mm	€/kos	€/kos	€/kos	€/kos	€/kos	€/kos	€/kos	€/kos	€/kos
				280	315	400	500	560	630	670	710	800
20	26,9	2,6	125	*	*	*	*	*	*	*	*	*
25	33,7	3,2	125	*	*	*	*	*	*	*	*	*
32	42,4	3,2	140	*	*	*	*	*	*	*	*	*
40	48,3	3,2	140	*	*	*	*	*	*	*	*	*
50	60,3	3,2	160	*	*	*	*	*	*	*	*	*
65	76,1	3,2	180	*	*	*	*	*	*	*	*	*
80	88,9	3,2	200	*	*	*	*	*	*	*	*	*
100	114,3	3,6	250	*	*	*	*	*	*	*	*	*
125	139,7	3,6	280	492,79	*	*	*	*	*	*	*	*
150	168,3	4,0	315	511,26	597,85	*	*	*	*	*	*	*
200	219,1	4,5	400	518,63	844,53	892,02	*	*	*	*	*	*
250	273,0	5,0	500	832,44	969,08	1.695,45	1.979,23	*	*	*	*	*
300	323,9	5,6	560	907,55	1.036,10	1.995,29	2.216,23	2.605,00	*	*	*	*
350	355,6	5,6	630	987,35	1.142,02	3.073,45	3.270,41	3.650,90	3.957,45	*	*	*
400	406,4	6,3	670	1.067,04	1.214,58	3.359,38	3.689,79	4.056,55	4.712,48	4.815,28	*	*
450	457,2	6,3	710	1.151,80	1.301,48	9.842,28	10.065,00	10.210,29	10.757,35	10.456,43	9.117,83	*
500	508,0	6,3	800	1.214,74	1.379,52	7.685,21	7.954,01	8.430,00	8.860,04	9.098,40	12.663,00	10.123,80

www.santerm.si

ceflex.santerm@siol.net