



Standardne Spojke 2SCT art. 2500.05



Standardna, enojna izolacija

DN	Jeklena cev zunaj \varnothing mm da	PE-HD cev izolacija Da mm	€/kpl.	Šifra
20	26,9	90	32,83	2500.050200090
25	33,7	90	32,69	2500.050250090
32	42,4	110	36,27	2500.050320110
40	48,3	110	36,10	2500.050400110
50	60,3	125	38,24	2500.050500125
65	76,1	140	41,4	2500.050650140
80	88,9	160	44,88	2500.050800160
100	114,3	200	53,36	2500.051000200
125	139,7	225	58,05	2500.051250225
150	168,3	250	81,93	2500.051500250
200	219,1	315	104,22	2500.052000315
250	273,0	400	147,94	2500.052500400
300	323,9	450	167,29	2500.053000450
350	355,6	500	195,95	2500.053500500
400	406,4	560	235,24	2500.054000560
450	457,2	630	274,57	2500.054500630
500	508,0	670	312,85	2500.055000670
600	610,0	800	397,38	2500.056000800
700	711,0	900	665,81	2500.057000900


1 x povečana izolacija art. 2501.05



Seriya 2

DN	Jeklena cev zunaj Ø mm da	PE-HD cev izolacija Da mm	€/kpl.	Šifra
20	26,9	110	36,61	2501.05020110
25	33,7	110	36,48	2501.05025110
32	42,4	125	38,81	2501.05032125
40	48,3	125	38,64	2501.05040125
50	60,3	140	42,06	2501.05050140
65	76,1	160	45,54	2501.05065160
80	88,9	180	49,99	2501.05080180
100	114,3	225	60,06	2501.05100225
125	139,7	250	84,66	2501.05125250
150	168,3	280	95,60	2501.05150280
200	219,1	355	123,26	2501.05200355
250	273,0	450	176,74	2501.05250450
300	323,9	500	202,65	2501.05300500
350	355,6	560	247,27	2501.05350560
400	406,4	630	288,20	2501.05400630
450	457,2	670	328,06	2501.05450670
500	508,0	710	352,52	2501.05500710
600	610,0	900	707,23	2501.05600900
700	711,0	1000	*	*

2 x povečana izolacija art 2502.05



Seriya 3

DN	Jeklena cev zunaj Ø mm da	PE-HD cev izolacija Da mm	€/kpl.	Šifra
20	26,9	125	39,16	2502.05020125
25	33,7	125	39,01	2502.05025125
32	42,4	140	42,64	2502.05032140
40	48,3	140	42,47	2502.05040140
50	60,3	160	46,21	2502.05050160
65	76,1	180	50,64	2502.05065180
80	88,9	200	54,96	2502.05080200
100	114,3	250	86,66	2502.05100250
125	139,7	280	98,33	2502.05125280
150	168,3	315	110,33	2502.05150315
200	219,1	400	156,18	2502.05200400
250	273,0	500	212,08	2502.05250500
300	323,9	560	253,96	2502.05300560
350	355,6	630	300,22	2502.05350630
400	406,4	670	341,68	2502.05400670
450	457,2	710	367,73	2502.05450710
500	508,0	800	432,76	2501.05500800
600	610,0	*	*	*
700	711,0	*	*	*